

Cleanroom Lighting Checklist

Project Name:

Quote number (if applicable):

Product family (e.g. Zeta RA) and ref. e.g. A1:

Please complete this form with as much information as you can so that we may provide you with an accurate quotation and quick response. For assistance completing this form please contact us on **+44 (0)161 320 9999** or enquiry@solite-europe.com

1. Select Ceiling System

a Composite type walk-on

Thickness mm

Ceiling manufacturer

Proposed cut aperture mm

Ceiling ref./ type

Front Access (FA)
or Rear Access (RA)

Any additional comments

b Heavy duty grid

Size of T-bar mm

Ceiling ref./ type


Proposed aperture mm

Dimensions

Ceiling manufacturer

A - Carrier Centres e.g. 600mm

B - Tile Size e.g. 597x597mm



Any additional comments

Solite Cleanroom Lighting Checklist

c Cassette Type System

Ceiling manufacturer

Grid Size mm

Carrier Size mm

Front Access (FA)

A - Carrier Centres e.g. 600mm

B - Tile Size e.g. 597x597mm


Any additional comments

d Spring T

Ceiling manufacturer mm

Ceiling ref./ type mm

Dimensions



A - Carrier Centres e.g. 600mm

B - Tile Size e.g. 597x597mm

If ceiling manufacturer make or model cannot be obtained please supply the below additional dimensions.

C - Top of Spring T profile e.g. 45mm

D - Opening between Spring T profiles e.g. 555mm

E - Underside of Spring T profile where ceiling tile bottoms out to the front of the tile e.g. 17mm

Solite Cleanroom Lighting Checklist

2. LED technical requirements

LED Colour e.g. white	<input type="text"/>
LED CRI e.g. CRI80	<input type="text"/>
LED CCT e.g. 3000k	<input type="text"/>
Luminaire lumen output (if applicable)	<input type="text"/>

3. Diffuser *(please tick all that apply)*

Satin opal	<input type="checkbox"/>
Satin opal + toughened glass	<input type="checkbox"/>
LG7 enabling lens + clear polycarbonate	<input type="checkbox"/>
LG7 enabling lens + toughened glass	<input type="checkbox"/>
Screwless fix	<input type="checkbox"/>

4. IP Rating

Front	<input type="text"/>
Rear	<input type="text"/>

5. Paint

Colour

RAL9003 30% gloss	<input type="checkbox"/>
RAL9010 30% gloss	<input type="checkbox"/>
RAL9016 90% gloss	<input type="checkbox"/>
Solite white RAL9003 90% gloss	<input type="checkbox"/>
Other <i>(please specify)</i>	<input type="text"/>

Solite Cleanroom Lighting Checklist

6. Controls options *(please tick)*

- Fixed output
- DALI
- SmartScan Platform 1 Platform 2
- SwitchDIM
- DSI dimming
- Smart

7. Emergency options *(please tick)*

- Standard
- Self-test
- DALI
- SmartScan

Central Battery System *(please advise the following)*

- Internal relay
- External relay
- Voltage e.g. 110v DC
- CBS manufacturer

8. Additional requirements *e.g. access hatch, pre-wired leads, plugs*

Any additional comments